

LANTERN MIXED TABLES

# Seven Lanterns

A personal board, revealed one light at a time.

Lars Rocha

Sixteen pages of play, patterns,  
worked hands, and discoveries.

A dedicated WSRF companion.  
Your pace. Your possibilities.



## DISCOVERIES

# Your first invitation

Read your made hand and the public boards together. The changing exposed cards make memory part of the game.

Begin with two private cards and one exposed card. Fourth, fifth, and sixth streets add exposed cards; seventh adds a private card. Your best five-card high hand wins. The lowest opening door card brings in, and later streets start with the strongest exposed high hand.

Take your seat with Fern and familiar AI company. The room offers heads-up or six-seat play, automatic next hands, adjustable pace, practice peeks, a visible WSRF tree, a Monte Carlo playground, and a notebook that keeps your place. Choose Gentle company while learning the rhythm, then explore Seasoned or Sharp whenever you feel ready.

Start by naming the game and the legal five-card construction. Then count the players still active and read the amount needed to continue. Those small observations give the coach's estimate a useful setting. The worked pages that follow preserve their cards, assumptions, and numerical receipts so you can explore the same question again.

**Can this guide turn a new poker variant into a series of friendly discoveries?**

**Worked answer. Yes.** Begin with one construction, follow one street, and open one explanation. The game's controls keep the legal choices clear while your familiarity grows.

## A route through these pages

Read the betting rhythm and the made-hand example. Explore the card map, choose a worked hand, then visit the training page to meet the fitted forest behind the coach.

DISCOVERIES

# A rhythm you can follow

The room keeps the chip arithmetic close to the action.

| At this table    | How it works                                                                                            |
|------------------|---------------------------------------------------------------------------------------------------------|
| Starting stack   | 2,000 free play chips at each seat                                                                      |
| Seats            | Heads-up or six seats                                                                                   |
| Blinds / antes   | Ante up to 2 per seat; bring-in up to 5                                                                 |
| Betting          | Small increment 20; large increment 40.                                                                 |
| Street rhythm    | 20 on third/fourth; 40 on fifth/sixth/seventh                                                           |
| Limit cap        | Four full bets per street, including the opening bet.                                                   |
| Short all-ins    | A full increment reopens raising under this room's house rule.                                          |
| Split-chip order | The high half receives an odd split chip. Tied shares award odd chips clockwise from the stored button. |

These are the room's declared house settings. A short stack contributes its available chips, and side pots keep each contribution matched to the players eligible for it. A returned unmatched contribution stays separate from a contested pot. Opening the Coach or Options panel holds the action while you explore.

A bring-in can be completed to the full 20-chip small bet. Completing it reopens action to the players who entered below that amount. An exposed pair on fourth street also makes the larger 40-chip option available.

**Can a saved stack keep its meaning after a refill?**

**Worked answer. Yes.** Fresh chips increase the funding total as well as the stack. Recorded hand profit remains the difference earned through play.

## DISCOVERIES

# See the five-card construction

The cards make the idea concrete.



**Can three aces and two sevens make your best five-card hand from these seven personal cards?**

**Worked answer. Yes.** That full house is built from the most useful five cards in the complete seven-card set. Your visible and private cards work together in the final comparison.

Seven personal cards offer twenty-one five-card selections. The evaluator chooses the strongest legal high hand, and the split game also finds the best qualifying low. A card outside the final five can still have helped tell the story on an earlier street.

Try covering the worked answer and pointing to the five chosen cards. Then name one different final card that would invite a new construction. A concrete card change is a useful way to connect imagination with the rules.


## Bring it to the table

At your next decision, name the current made hand before exploring future cards. Your coach can then help connect that construction with the field, the price, and the remaining possibilities.

## DISCOVERIES

# A little map of possibility

One away, two away, three away—and a clear reference frame.



**LIKELY • 8/13 near ranks**

Moving references:  $3 \cdot J \cdot Q \cdot T$

48 unseen cards.

Bucket counts: 13 / 15 / 12 / 8

Distance mean 1.31 • SD 1.04

The pocket map uses your first two dealt cards. In an Omaha hand these are an explicit pair of anchors inside the four-card pocket; the hand evaluator still explores all legal two-card choices. In a stud hand they are the first two private cards. The moving map uses the latest two community cards or your latest two exposed stud cards once they are available.

The map's circular ranks run from 2=0 to A=12. The reference expressions use the two anchors, their sum modulo thirteen, and their absolute difference. Near means distance zero or one. Seven or more near ranks gives **LIKELY**; six or fewer gives **UNLIKELY**. Both labels receive balanced examples in each newly trained model.

Known-card counts include your own cards and every publicly exposed card, including cards shown by a folded stud opponent. That keeps the remaining physical-card counts connected to what you can actually observe. The game-specific hand ranking and the map each describe their own part of the hand.

**Can this compact map help make a WSRF tree's inputs easier to explore?**

**Worked answer. Yes.** The model includes coverage, distance spread, and both zone flags alongside the game-specific card features. A visible tree path shows which of those inputs it used at this spot.

## DISCOVERIES

# A few habits worth keeping

Let the game's special character guide your attention.

## A personal board has a voice

Each opponent develops a separate exposed board. Compare those boards with your own made hand. A paired door board tells a different story from four connected ranks or several matching suits. Begin by describing what is visible, then use your private cards to understand what your own hand adds.

## Remember the cards that passed through

A folded player's exposed cards still belong to the public story. They remain known cards for the next-card sampler. If you are studying a suit draw, count the visible cards of that suit before considering the remaining deck. This is a practical way to connect attention with the arithmetic.

## Fourth street offers a special choice

At this Stud-high table, an exposed pair on fourth street opens the option of a 40-chip bet or raise while the usual small amount is 20. Choosing the larger increment makes the rest of that street use 40. The available buttons show the legal choices, so you can explore the effect of the bigger decision.

## A private seventh card adds a final discovery

Your last personal card arrives face-down. It can complete a construction while leaving the visible board unchanged for everyone else. The coach knows your own new card and the other exposed cards. That information boundary is what makes the final estimate a useful companion to your decision.

WORKED HANDS

# Worked hand 1 · Seven-Card Stud

Follow the cards, then discover the estimate.

YOUR CARDS



Your exposed cards: Q♠

| Street | Opponents | Pot | Call | Made hand |
|--------|-----------|-----|------|-----------|
| third  | 1         | 4   | 0    | High card |

| A view of the spot    | Value         | Action         | Policy score |
|-----------------------|---------------|----------------|--------------|
| Moving rank zone      | LIKELY · 8/13 | Bring in 5     | 0.001        |
| WSRF pot share        | 46.5%         | Complete to 20 | -0.317       |
| Monte Carlo share     | 42.7%         |                |              |
| 95% sampling interval | 41.2% – 44.3% |                |              |
| Whole-pot frequency   | 42.7%         |                |              |
| Sample count          | 4,096         |                |              |

This independently generated teaching hand preserves your own cards and every exposed card, then samples the remaining cards uniformly. Fractional ties and split pots contribute the share actually earned. The interval describes sampling uncertainty under that model; the forest’s estimate is a separate learned prediction.

Compare the action scores with the call price and the active field. They express the explicit betting policy’s use of the learned share, rather than a fitted chip-return forecast. Opening a tree lets you follow the card features that helped produce the share estimate.

Can the WSRF estimate give this decision a useful starting point?

**Worked answer. Yes.** It estimates fractional showdown share with a forest trained specifically for Seven-Card Stud. The policy connects that estimate with the price, field, and legal choices. Its suggested move here is bring in 5.

Study fixture stud-1 · 4,096 samples · Independent namespace mixed-guide-independent. Cards, seeds, and measurements are preserved in the study receipt.

WORKED HANDS

# Worked hand 2 · Seven-Card Stud

Follow the cards, then discover the estimate.

YOUR CARDS



Your exposed cards: 4♣ · J♥

| Street | Opponents | Pot | Call | Made hand |
|--------|-----------|-----|------|-----------|
| fourth | 5         | 62  | 20   | High card |

| A view of the spot    | Value          | Action      | Policy score |
|-----------------------|----------------|-------------|--------------|
| Moving rank zone      | LIKELY · 10/13 | Fold        | 0.000        |
| WSRF pot share        | 11.6%          | Call 20     | -0.152       |
| Monte Carlo share     | 6.3%           | Raise to 40 | -0.548       |
| 95% sampling interval | 5.6% – 7.1%    |             |              |
| Whole-pot frequency   | 6.3%           |             |              |
| Sample count          | 4,096          |             |              |

This independently generated teaching hand preserves your own cards and every exposed card, then samples the remaining cards uniformly. Fractional ties and split pots contribute the share actually earned. The interval describes sampling uncertainty under that model; the forest’s estimate is a separate learned prediction.

Compare the action scores with the call price and the active field. They express the explicit betting policy’s use of the learned share, rather than a fitted chip-return forecast. Opening a tree lets you follow the card features that helped produce the share estimate.

Can the WSRF estimate give this decision a useful starting point?

**Worked answer. Yes.** It estimates fractional showdown share with a forest trained specifically for Seven-Card Stud. The policy connects that estimate with the price, field, and legal choices. Its suggested move here is fold.

Study fixture stud-2 · 4,096 samples · Independent namespace mixed-guide-independent. Cards, seeds, and measurements are preserved in the study receipt.

WORKED HANDS

# Worked hand 3 · Seven-Card Stud

Follow the cards, then discover the estimate.

YOUR CARDS



Your exposed cards: 6♦ · A♥ · J♠

| Street | Opponents | Pot | Call | Made hand |
|--------|-----------|-----|------|-----------|
| fifth  | 1         | 14  | 0    | High card |

| A view of the spot    | Value          | Action | Policy score |
|-----------------------|----------------|--------|--------------|
| Moving rank zone      | LIKELY · 10/13 | Check  | 0.005        |
| WSRF pot share        | 43.7%          | Bet 40 | -0.350       |
| Monte Carlo share     | 43.7%          |        |              |
| 95% sampling interval | 42.2% – 45.3%  |        |              |
| Whole-pot frequency   | 43.7%          |        |              |
| Sample count          | 4,096          |        |              |

This independently generated teaching hand preserves your own cards and every exposed card, then samples the remaining cards uniformly. Fractional ties and split pots contribute the share actually earned. The interval describes sampling uncertainty under that model; the forest’s estimate is a separate learned prediction.

Compare the action scores with the call price and the active field. They express the explicit betting policy’s use of the learned share, rather than a fitted chip-return forecast. Opening a tree lets you follow the card features that helped produce the share estimate.

Can the WSRF estimate give this decision a useful starting point?

**Worked answer. Yes.** It estimates fractional showdown share with a forest trained specifically for Seven-Card Stud. The policy connects that estimate with the price, field, and legal choices. Its suggested move here is check.

Study fixture stud-3 · 4,096 samples · Independent namespace mixed-guide-independent. Cards, seeds, and measurements are preserved in the study receipt.

WORKED HANDS

# Worked hand 4 · Seven-Card Stud

Follow the cards, then discover the estimate.

YOUR CARDS



Your exposed cards: Q♣ · K♠ · Q♠ · A♣

| Street | Opponents | Pot | Call | Made hand |
|--------|-----------|-----|------|-----------|
| sixth  | 5         | 82  | 40   | One pair  |

| A view of the spot    | Value         | Action      | Policy score |
|-----------------------|---------------|-------------|--------------|
| Moving rank zone      | LIKELY · 9/13 | Fold        | 0.000        |
| WSRF pot share        | 10.8%         | Call 40     | -0.245       |
| Monte Carlo share     | 19.0%         | Raise to 80 | -0.568       |
| 95% sampling interval | 17.8% – 20.2% |             |              |
| Whole-pot frequency   | 19.0%         |             |              |
| Sample count          | 4,096         |             |              |

This independently generated teaching hand preserves your own cards and every exposed card, then samples the remaining cards uniformly. Fractional ties and split pots contribute the share actually earned. The interval describes sampling uncertainty under that model; the forest’s estimate is a separate learned prediction.

Compare the action scores with the call price and the active field. They express the explicit betting policy’s use of the learned share, rather than a fitted chip-return forecast. Opening a tree lets you follow the card features that helped produce the share estimate.

Can the WSRF estimate give this decision a useful starting point?

**Worked answer. Yes.** It estimates fractional showdown share with a forest trained specifically for Seven-Card Stud. The policy connects that estimate with the price, field, and legal choices. Its suggested move here is fold.

Study fixture stud-4 · 4,096 samples · Independent namespace mixed-guide-independent. Cards, seeds, and measurements are preserved in the study receipt.

WORKED HANDS

# Worked hand 5 · Seven-Card Stud

Follow the cards, then discover the estimate.

YOUR CARDS



Your exposed cards: T♠ · A♦ · 8♣ · 6♥

| Street  | Opponents | Pot | Call | Made hand |
|---------|-----------|-----|------|-----------|
| seventh | 1         | 14  | 0    | High card |

| A view of the spot    | Value          | Action | Policy score |
|-----------------------|----------------|--------|--------------|
| Moving rank zone      | LIKELY · 10/13 | Check  | 0.005        |
| WSRF pot share        | 24.3%          | Bet 40 | -0.621       |
| Monte Carlo share     | 17.6%          |        |              |
| 95% sampling interval | 16.4% – 18.8%  |        |              |
| Whole-pot frequency   | 17.6%          |        |              |
| Sample count          | 4,096          |        |              |

This independently generated teaching hand preserves your own cards and every exposed card, then samples the remaining cards uniformly. Fractional ties and split pots contribute the share actually earned. The interval describes sampling uncertainty under that model; the forest’s estimate is a separate learned prediction.

Compare the action scores with the call price and the active field. They express the explicit betting policy’s use of the learned share, rather than a fitted chip-return forecast. Opening a tree lets you follow the card features that helped produce the share estimate.

Can the WSRF estimate give this decision a useful starting point?

**Worked answer. Yes.** It estimates fractional showdown share with a forest trained specifically for Seven-Card Stud. The policy connects that estimate with the price, field, and legal choices. Its suggested move here is check.

Study fixture stud-5 · 4,096 samples · Independent namespace mixed-guide-independent. Cards, seeds, and measurements are preserved in the study receipt.

WORKED HANDS

# Worked hand 6 · Seven-Card Stud

Follow the cards, then discover the estimate.

YOUR CARDS



Your exposed cards: A♦

| Street | Opponents | Pot | Call | Made hand |
|--------|-----------|-----|------|-----------|
| third  | 5         | 32  | 20   | High card |

| A view of the spot    | Value          | Action      | Policy score |
|-----------------------|----------------|-------------|--------------|
| Moving rank zone      | LIKELY · 10/13 | Fold        | 0.000        |
| WSRF pot share        | 13.7%          | Call 20     | -0.273       |
| Monte Carlo share     | 11.5%          | Raise to 40 | -0.532       |
| 95% sampling interval | 10.5% – 12.5%  |             |              |
| Whole-pot frequency   | 11.5%          |             |              |
| Sample count          | 4,096          |             |              |

This independently generated teaching hand preserves your own cards and every exposed card, then samples the remaining cards uniformly. Fractional ties and split pots contribute the share actually earned. The interval describes sampling uncertainty under that model; the forest’s estimate is a separate learned prediction.

Compare the action scores with the call price and the active field. They express the explicit betting policy’s use of the learned share, rather than a fitted chip-return forecast. Opening a tree lets you follow the card features that helped produce the share estimate.

Can the WSRF estimate give this decision a useful starting point?

**Worked answer. Yes.** It estimates fractional showdown share with a forest trained specifically for Seven-Card Stud. The policy connects that estimate with the price, field, and legal choices. Its suggested move here is fold.

Study fixture stud-6 · 4,096 samples · Independent namespace mixed-guide-independent. Cards, seeds, and measurements are preserved in the study receipt.

## PRACTICE

# Six discoveries to keep

Affirmative questions, with the reason beside each answer.

**Can a 20-chip call into an eligible 80-chip pot break even at a 20% share when betting ends with that call?**

**Worked answer. Yes.** The call adds 20 to the final 100-chip pot. The break-even equation is  $20/(80+20)=20\%$ , with rake set to zero.

**Can two tied low winners each receive a quarter of a 200-chip pot when one other player wins high alone?**

**Worked answer. Yes.** The high half is 100, the low half is 100, and the two low winners divide that second half into 50 each.

**Can 28 near cards among 48 unseen cards give a uniform near-card share of 58.3%?**

**Worked answer. Yes.** Divide the physical near-card count by the unseen-card count. The result describes that bucket event in this worked hand.

**Can four times as many independent samples roughly halve the standard error of an estimated mean?**

**Worked answer. Yes.** Standard error scales with the reciprocal of the square root of the sample count. Multiplying the count by four doubles that square root.

**Can the coach preserve an opponent's exposed cards after that player folds?**

**Worked answer. Yes.** Those cards remain part of the public known-card set, which keeps the remaining-deck calculation grounded in what you saw.

**Can a tree path help you discover which visible feature guided a prediction?**

**Worked answer. Yes.** Follow each comparison from the root to the leaf. The complete forest then combines its tree predictions into the displayed estimate.

## TRAINING

# Meet your new forest

Actual pytoolzx / WSRF fitting, with the measured results beside it.

| Game            | Selected fit | Positions | Training showdowns | Test MAE |
|-----------------|--------------|-----------|--------------------|----------|
| Seven-Card Stud | full         | 6,144     | 786,432            | 4.60 pp  |

Each game receives 6,144 training positions, with 128 independently sampled showdowns at every position. Six equally represented pools combine opening, middle, and closing play with LIKELY and UNLIKELY moving-map labels. Private and public suit counts, exposed-board strength, and rank geometry give the forest a richer view. The fitted object is `pytoolzx.wsrf.WSRFRegressor`, and `pytoolzx.indexrng.Index` supplies independently named seed streams.

Compact and full forests are compared on 768 validation positions. The smaller validation error chooses the serving forest before a fresh 1,536-position test is evaluated. Validation labels use 384 samples; test labels use 512. MAE is the average absolute difference in estimated pot share, expressed here in percentage points.

| Game / seats / practice style   | Hands | BB / 100 | Approx. 95% interval |
|---------------------------------|-------|----------|----------------------|
| Seven-Card Stud / 2 / calling   | 512   | 92.7     | 74.6 to 110.8        |
| Seven-Card Stud / 2 / random    | 512   | 58.5     | 32.4 to 84.6         |
| Seven-Card Stud / 2 / selective | 512   | 47.6     | 22.4 to 72.7         |
| Seven-Card Stud / 6 / calling   | 1,536 | 89.5     | 67.7 to 111.3        |
| Seven-Card Stud / 6 / random    | 1,536 | 41.4     | 21.5 to 61.3         |
| Seven-Card Stud / 6 / selective | 1,536 | 59.1     | 22.1 to 96.1         |

The complete-hand benchmark rotates the trained policy through every seat of each fresh deck. Its intervals use deck averages to respect the relationship between seat rotations. These named local practice styles define the scope of the measurements. The full receipt preserves every game, table size, and opponent row.

## Can opening a tree and reading a receipt make WSRF learning tangible?

**Worked answer. Yes.** The tree shows how one prediction is reached, while the receipt connects that prediction to the fitted library, independent examples, model choice, and measured matches.

## PRACTICE

# Make the table your own

A practice path you can enjoy returning to.

## Begin with a comfortable rhythm

Choose Gentle company and a relaxed pace. Leave automatic next hands enabled if you enjoy a continuous session, or choose each new hand yourself. The panel controls hold your exact place whenever you open an explanation.

## Give one hand a question

Choose a question you can inspect: can this card complete the construction, can this price be expressed as a pot share, or can the tree show which input it used? The worked answer becomes useful when you can point to its reason on the table.

## Explore with a practice peek

A peek makes the opposing cards visible for your exercise. The model continues to use its own cards and public observations, so its estimate stays comparable before and after your peek. The notebook marks that hand as practice and preserves the result.

## Let the forest take a turn

The WSRF partner option lets the trained adviser play your seat using the explicit betting policy. Pause on a street that interests you and open the tree. Watch mode is a way to explore the model's choices; your own chair is ready whenever you switch back.

## Keep a story to return to

Download a notebook from Options. It includes the deal and action sequence needed for exact replay, along with stacks, funding, completed hands, and HUD totals. Restore it in the same game and table size. A saved story can make the next visit feel like a continuation.

### Can one clear observation make a session worthwhile?

**Worked answer. Yes.** A price understood, a low hand recognized, or a tree path followed gives you something concrete to bring into the next hand.

REFERENCE

# Your pocket reference

Useful terms and a path to the underlying work.

| Term          | Meaning at these tables                                        |
|---------------|----------------------------------------------------------------|
| Pot share     | The fraction of a contested pot earned, including splits       |
| Scoop         | The whole contested pot comes to one player                    |
| Bring-in      | The opening stud contribution selected by the door-card rule   |
| Completion    | Bringing an opening stud contribution to the full small bet    |
| Exposed cards | Cards visible to everyone, retained as known cards             |
| WSRF pool     | One of six opening/middle/closing × LIKELY/UNLIKELY groups     |
| Policy score  | The explicit action comparison built around the learned equity |
| Notebook      | Your local saved deal, actions, stacks, and history            |

VPIP counts voluntary entries on the opening street; OR counts opening raises or completions. AF divides bets plus raises by calls. WTSD counts showdowns among hands reaching the first draw street. WSD counts showdowns winning any contested pot, including ties. Read each percentage together with its completed-hand sample count.

Explore the background for this variant in [Wikipedia's seven-card stud overview](#). The room's specific stakes, cap, reopening, and odd-chip conventions are declared on page 3. The examples, exercises, UI, and training experiment in this guide are original to Lantern Poker.

Explore the [worked-hand receipt](#), [complete-hand match table](#), and [training and reproduction notes](#). Return to the [Seven Lanterns table](#) whenever you are ready.

**Can curiosity connect the guide, the game, and the model?**

**Worked answer. Yes.** A visible card, a reproducible example, and an inspectable tree let you follow the same idea through all three. Keep the question friendly and enjoy the discovery.